SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT Title V Permit Summary

AQMD Facility ID:	112853	Company Name:	NP C	OGEN, INC.			
Equipment Location: 6001 S. EASTERN AVENUE, LOS ANGELES, CALIFORNIA 90040 SIC Code: 4911							
Permit Revision #: Revision Date:			Facility Permit Section(s) Affected:				
Application #(s):	511603		Application Submittal Date(s): 06/11/10				
AQMD Contact Person:	DOUGLAS GORDON			e #:) 396- 2683	E-Mail Address: dgordon@aqmd.gov		
Project Description: This is an existing facility, applying for a renewal to their Title V permit. The facility supplies waste heat to a neighboring facility for use in their manufacturing process. The facility also generates electricity which can be used at the facility or sold to the grid. This facility operates one natural gas turbine with a generator and one natural gas internal combustion engine (ICE) with a generator. The gas turbine is currently in a non-operational status. The emissions from the ICE are vented to a selective catalytic reduction system.							
Permit Type: ☐ Initial Title V Permit ☐ Significant Revision ☐ Permit Renewal							
Permit Features: ☐ Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements ☐ Permit Shield Applies ☐ Permit Contains Conditions Allowing Emission Trading ☐ Alternative Operating Scenario ☐ Permit Streamlines Overlapping or Outdated Requirements ☐ Other:							
Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance							
Toxic Air Contaminant □ No TACs Reported Emissions (TAC) - Annual □ The Following TACs Were Reported: Emissions (lbs/yr):							
Reported Emissions for Reporting Year: 2009	or	For TACs	s repor	ted see next page			
Health Risk From Health Risk Reduction Plan in Force (AQMD Rule 1402) (date):							
Toxic Air Contaminants: Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) Facility Determined to be Exempt from AB2588 Requirements AQMD is Tracking Status of Facility under AB2588 Health Risk Assessment Submitted to AQMD and Is Being Reviewed Final Facility Health Risk Approved (date) Cancer Risk = Acute Hazard Index = Chronic Hazard Index =							
Criteria Pollutant Emi		⊠ NOX _	1.013	6 N PM	0.001		
Annual Reported Emissions (tons/year) for Reporting Year: 2009			0.938 0.167	S0X Other:	0.022		
Compliance History: Citizen Complaints Filed in Last Two Calendar Years (0) Notices to Comply Issued in Last Two Calendar Years (0) Notices of Violation Issued in Last Two Calendar Years (0)							
Comments:							

Page 1 of 2800 6/30/2010

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT Title V Permit Summary

Toxic Air Contaminants Emissions (TAC) Annual Reported Emissions for Reporting Period 2009

The Following TACs Were Penerted	Emissions (lbs/yr)	
The Following TACs Were Reported		
1,1,2,2-Tetrachloroethane	3.112	
1,1,2TRICLETHAN	2.471	
1,2,4TRIMEBENZE	1.113	
1,2-Dichloropropane {Propylene dichloride}	2.090	
1,3-Butadiene	20.748	
1,3-Dichloropropene	2.051	
2-Methyl naphthalene [PAH, POM]	2.585	
ACENAPHTHENE	0.097	
ACENAPHTHYLENE	0.430	
Acetaldehyde	650.668	
Acrolein	399.707	
Ammonia	34.097	
B[GHI] PERYLENE	0.032	
Benzene	34.249	
Benzo[b]fluoranthene	0.012	
Benzo[e]pyrene [PAH, POM]	0.032	
Carbon tetrachloride	2.852	
Chloroform	2.219	
Chrysene	0.053	
ETHYL BENZENE	3.089	
Ethylene dibromide	3.447	
Ethylene dichloride	1.838	
FLUORANTHENE	0.086	
FLUORENE	0.440	
Formaldehyde	4111.492	
HEXANE	86.196	
Methanol	194.514	
Methylene chloride	1.556	
Naphthalene	5.789	
PHENANTHRENE	0.808	
PYRENE	0.106	
Styrene	1.838	
Toluene	31.732	
Vinyl chloride	1.159	
Xylenes	14.340	
	1	

Page 2 of 2800 6/30/2010